

SAFETY DATA SHEET

WHITEBOARD PERMANENT INK REMOVER 150 ML

Page: 1

Revision date: 28.08.2020

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: WHITEBOARD PERMANENT INK REMOVER 150 ML

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

1.3. Details of the supplier of the safety data sheet

Company name: ECS GmbH

Address: Wolfener Strasse 32-34
D-12681 Berlin

Phone: +49(0)178/4086371

E-mail: gukleinmann@gekace.com

1.4. Emergency telephone number

Emergency tel: Poison Control Centre (Austria)
Tel. No.: +43 1 406 4343

Antigif Centrum Centre Antipoisons (Belgium)
Tel. No.: +32 070 245 245

National Toxicology Centre, Hospital for Active Medical Treatment and Emergency Medicine
"N.I.Pirogov" (Bulgaria)
Tel. No. / fax.: +359 2 9154 233

Poison Control Centre (Croatia)
Tel. No.: +385 1 234 8342

Toxicological Information Centre (Czech Republic)
Tel. No.: +420 224 919 293 / +420 224 915 402

Poison Control Hotline (Denmark)
Tel. No.: +45 82 12 12 12

Poisoning Information Centre (Estonia)
Tel. No.: +372 794 3794 (or 16662 national)

Poison Information Centre (Finland)
Tel. No.: +358 09 471 977

ORFILA (INERIS) (France)
Tel. No.: +33 (0) 1 45 42 59 59

Health Toxicological Information Service (Hungary)
Tel. No.: +36 80 20 11 99

Poison Centre (Iceland)
Tel. No.: +354 543 2222

National Poisons Information Centre (Ireland)
Tel. No.: +353 (0)1 809 2566 / +353 (0)1 837 9964

Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs (Latvia)
Tel. No.: +371 670 42473

[cont...]

SAFETY DATA SHEET

WHITEBOARD PERMANENT INK REMOVER 150 ML

Page: 2

Health Emergency Situations Centre of the Ministry of Health, Poison Information Bureau (Lithuania)
Tel. No.: +370 5 236 20 52, mob.: +370 687 53378

Mater Dei Hospital (Malta)
Tel. No.: +356 2545 0000

National Poisons Information Centre (NVIC) (Netherlands)
Tel. No.: +31 (0) 30 274 8888

Mental Health Helpline (Norway)
Tel. No.: +47 22 59 13 00

Instituto Nacional de Emergência Médica (Portugal)
Tel. No.: +351 213 303 271

Biroul RSI si Informare Toxicologica (Romania)
Tel. No.: +40 021 318 3606

National Toxicological Information Centre (NTIC) (Slovakia)
Tel. No.: +421 2 5477 4166

Toxicology Information Service (Spain)
Tel. No.: +34 91 562 04 20

Swedish Poisons Information Centre (Sweden)
Tel. No.: +46 08 331231

Poison Control Center, Charité – Universitätsmedizin Berlin, Hindenburgdamm 30, 12203 Berlin (Germany)
Tel. No.: +4930 30686700

Health and Safety Executive (HSE) (United Kingdom)
Tel. No.: +44 0151 922 9235

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; Flam. Aerosol 1: H222; STOT SE 3: H336; Skin Irrit. 2: H315; -: H229

Most important adverse effects: Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness.

2.2. Label elements

Label elements:

UFI: 0500-Q06Q-W00U-TCHE

Hazard statements: H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

Hazard pictograms: GHS02: Flame

GHS07: Exclamation mark



Signal words: Danger

[cont...]

SAFETY DATA SHEET

WHITEBOARD PERMANENT INK REMOVER 150 ML

Page: 3

Precautionary statements: P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211: Do not spray on an open flame or other ignition source.
P251: Do not pierce or burn, even after use.
P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PROPAN-2-OL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336	60-65%

BUTANE

203-448-7	106-97-8	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	20-25%
-----------	----------	--	-------------------------------------	--------

PROPANE

200-827-9	74-98-6	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	10-12.5%
-----------	---------	--	-------------------------------------	----------

ORTHOPHOSPHORIC ACID

231-633-2	7664-38-2	-	Skin Corr. 1B: H314	<2.5%
-----------	-----------	---	---------------------	-------

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. Remove all contaminated clothes and footwear immediately unless stuck to skin. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Consult a doctor. Wash out mouth with water. If unconscious, check for breathing and apply artificial respiration if necessary.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness.

[cont...]

SAFETY DATA SHEET

WHITEBOARD PERMANENT INK REMOVER 150 ML

Page: 4

Inhalation: No data available.

Delayed / immediate effects: Drowsiness or mental confusion may occur.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Immediate medical attention is required.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Carbon dioxide.
Dry chemical powder. Do not use water. Do not use foam.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Extremely flammable. Forms explosive air-vapour mixture.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Eliminate all sources of ignition.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Use non-sparking tools. Smoking is forbidden. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Avoid incompatible materials and conditions - see section 10 of SDS.

7.3. Specific end use(s)

[cont...]

SAFETY DATA SHEET

WHITEBOARD PERMANENT INK REMOVER 150 ML

Page: 5

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

PROPAN-2-OL

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m ³	1250 mg/m ³	-	-

BUTANE

UK	1450 mg/m ³	1810 mg/m ³	-	-
----	------------------------	------------------------	---	---

PROPANE

UK	1800 mg/m ³	7200 mg/m ³	-	-
----	------------------------	------------------------	---	---

ORTHOPHOSPHORIC ACID...100%

UK	1 mg/m ³	2 mg/m ³	-	-
----	---------------------	---------------------	---	---

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Do not breathe aerosol

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Suitable respiratory protection apparatus:

Combination filtering device (EN 14387) A-P2

Hand protection: When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Suitable material: (penetration time (maximum wearing period):>=8h):

Butyl rubber (0.5 mm)

FKM (fluororubber) (0.4mm) Pull-over gloves of rubber. DIN EN 374

Eye protection: Safety glasses. Suitable eye protection: Eye glasses with side protection DIN EN 166

Skin protection: Wear anti-static footwear and clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Aerosol

Colour: Colourless

Odour: like: Alcohol

Evaporation rate: not determined

[cont...]

SAFETY DATA SHEET

WHITEBOARD PERMANENT INK REMOVER 150 ML

Page: 6

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Miscible

Viscosity: Not applicable.

Boiling point/range°C: <-20

Flammability limits %: lower: Not applicable.

Flash point°C: <-20

Autoflammability°C: Not applicable.

Relative density: 0.687 g/cm³

Melting point/range°C: Not applicable.

upper: Not applicable.

Part.coeff. n-octanol/water: Not applicable.

Vapour pressure: not determined

pH: Not applicable.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: No data available.

10.4. Conditions to avoid

Conditions to avoid: Heat. Sources of ignition. Flames. Direct sunlight. Air. Hot surfaces.

10.5. Incompatible materials

Materials to avoid: No data available.

10.6. Hazardous decomposition products

Haz. decomp. products: No data available.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

[cont...]

SAFETY DATA SHEET

WHITEBOARD PERMANENT INK REMOVER 150 ML

Page: 7

ORTHOPHOSPHORIC ACID...100%

ORL	RAT	LD50	1530	mg/kg
-----	-----	------	------	-------

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness.

Inhalation: No data available.

Delayed / immediate effects: Drowsiness or mental confusion may occur.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Waste code number: 160504

Disposal of packaging: May be reused following decontamination.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

[cont...]

SAFETY DATA SHEET

WHITEBOARD PERMANENT INK REMOVER 150 ML

Page: 8

Section 14: Transport information

14.1. UN number

UN number: UN 1950

14.2. UN proper shipping name

Shipping name: AEROSOLS

14.3. Transport hazard class(es)

Transport class: 2

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: Warning: Flammable gases

Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: 2010/75/EU (VOC): 98,7 % (700,77 g/l)

2004/42/EC (VOC): 99,935 % (709,539 g/l) Information according to 2012/18/EU: E2

Hazardous to the Aquatic Environment (SEVESO III):

Additional information: P3b Additional information:

To follow: 850/2004/EC , 79/117/EEC , 689/2008/EC , 2008/47/EC

Aerosol directive (75/324/EEC). National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H220: Extremely flammable gas.

H222: Extremely flammable aerosol.

H225: Highly flammable liquid and vapour.

[cont...]

SAFETY DATA SHEET

WHITEBOARD PERMANENT INK REMOVER 150 ML

Page: 9

H229: Pressurised container: May burst if heated.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.