

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- **Trade name: 8463A**
 - **Other Means of Identification:** Silver Grease
 - **Related Part Number:** 8463A, 8463A-3ML

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

- **Application of the substance / the mixture** Lubricant
- **Uses advised against** Not applicable

· 1.3 Details of the supplier of the safety data sheet

· **Manufacturer/Supplier:**

MG Chemicals Ltd. (Head Office)
1210 Corporate Drive
Burlington, Ontario L7L 5R6
CANADA
+(1) 905-331-1396
info@mgchemicals.com

MG Chemicals
Heame House, 23 Bliston Street
Sedgely Dudley DY3 1JA.
United Kingdom
+(44) 1663 362888

MG Chemicalst Ltd.
Level 2, Vision Exchange, Building Territorials Street,
Zone 1, Central Business, District,
Birkirkara CBD 1070,
MALTA

- **Further information obtainable from:** sds@mgchemicals.com

· 1.4 Emergency telephone number:

Verisk 3E (Access code: 335388)
+(44) 20 3514787
+(1) 760 476 3961
UK Toll free: +(0) 800 680 0425

Members of the public seeking specific information on poisons should contact:
In England and Wales: NHS 111 - dial 111
In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

- **Classification according to Regulation (EC) No 1272/2008**



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.
Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 2)

— GB —

Trade name: 8463A

(Contd. of page 1)

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS09

· **Signal word** Warning

· **Hazard-determining components of labelling:**

aluminium powder

Silver (Powder)

· **Hazard statements**

H410 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents and container in accordance with local, regional, and national regulations.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Determination of endocrine-disrupting properties** Endocrine Disruptor substance $\geq 0.1\%$ = none

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 7429-90-5 EINECS: 231-072-3 Index number: 013-002-00-1	aluminium powder ⚠ Flam. Sol. 1, H228; Water-react. 2, H261	30–60%
CAS: 7440-22-4 EINECS: 231-131-3	Silver (Powder) ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10)	10–30%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **After inhalation:**

Remove person to fresh air and keep comfortable for breathing.

If feeling unwell: Call a POISON CENTRE or doctor.

· **After skin contact:** Wash with plenty of water or shower.

(Contd. on page 3)

Trade name: 8463A

(Contd. of page 2)

- **After eye contact:**
Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If symptoms persist consult doctor.
- **After swallowing:**
Rinse mouth.
Do NOT induce vomiting.
If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
 - **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
 - **For safety reasons unsuitable extinguishing agents:** Water
- **5.2 Special hazards arising from the substance or mixture**

The flu-like symptoms of metal fever may be delayed, occurring 4 to 12 hours after exposure.
Not flammable or combustible, but burns if involved in a fire. Produces irritating smoke of unknown toxicity in fires.
Prevent fire-fighting wash from entering waterway or sewer system.
Inhalation of metal fumes may cause metal fever and irritate the respiratory tract.
At temperatures above 150 °C [302 °F], formaldehyde can be generated in presence of oxygen. Formaldehyde is classified as a human carcinogen, a skin and respiratory sensitizer; and an irritant to the eyes and throat.

 - **Hazardous combustion products:**
Silicone oxides
Carbon Oxides (COx)
toxic metal fumes
- **5.3 Advice for firefighters**
 - **Protective equipment:** Wear self-contained breathing apparatus and full fire-fighting turn-out gear.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**

Particular danger of slipping on leaked/spilled product.
- **6.2 Environmental precautions:**

Avoid release to the environment.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**

Scoop paste into a chemical-resistant container. Wipe residue with a paper towel, and place dirty towels in container. Use soap and water to remove the last traces of residue.
Not readily flowable.
Collect in a sealable, chemical-resistant container.
Wipe the residues with a paper towel and place dirty towels in container.
Use soap and water to remove the last traces of residue.

(Contd. on page 4)

Trade name: 8463A

(Contd. of page 3)

· **6.4 Reference to other sections**

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling** Collect spillage.

- **Information about fire - and explosion protection:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

- **Requirements to be met by storerooms and receptacles:**
Keep in a dry and clean area, away from incompatible substances
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed receptacles.

· **7.3 Specific end use(s)** See section 1.2

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

7429-90-5 aluminium powder

WEL	Long-term value: 10* 4** mg/m ³ *inhalable dust ** respirable dust
-----	----------------------------------------------------------------------------------

· **Additional information:**

- The lists valid during the making were used as basis.
- Refer to the national or regional occupational exposure limit regulation for abbreviations and acronyms.

· **8.2 Exposure controls**

- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
 - **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
 - **Respiratory protection:**
If the product is heated or worker has a known allergic reaction, consider using a full mask with organic vapor cartridge or with an independent air supply.
 - **Hand protection**
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves: EN374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

Trade name: 8463A

(Contd. of page 4)

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**

Not required.



Wear safety glasses: EN 166

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· Physical state	Solid
· Form:	Pasty
· Colour:	Light brown/silver
· Odour:	Mild
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Flammability	Non flammable
· Lower and upper explosion limit	
· Lower:	Not applicable
· Upper:	Not applicable
· Flash point:	Not applicable.
· Auto-ignition temperature:	400 °C (7429-90-5 aluminium powder)
· Decomposition temperature:	Not determined.
· pH	Not applicable.
· Viscosity:	
· Kinematic viscosity	Not applicable.
· Dynamic:	Not applicable.
· Solubility	
· water:	Insoluble.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not applicable.
· Relative density at 25 °C:	1.84
· Vapour density (air=1):	>1
· Particle characteristics	See section 3.

· 9.2 Other information

· **9.2.1 Information with regard to physical hazard classes**

Not applicable

· **9.2.2 Other safety characteristics**

· Evaporation rate	<1 (ButAc=1)
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.

(Contd. on page 6)

Trade name: 8463A

(Contd. of page 5)

· Solvent content:	
· Organic solvents:	Not available
· Solids content:	100.0 %

SECTION 10: Stability and reactivity

· 10.1 Reactivity

Reacts with acids to form flammable hydrogen gas.
Reacts violently with hydrogen peroxides to form oxygen gas.
Reaction with ammonia may form explosive compounds when dry.
Reacts with acetylene to form shock-sensitive compounds.

· 10.2 Chemical stability

Chemically stable at normal temperatures and pressures.

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions

Contact with water releases flammable gases.

· 10.4 Conditions to avoid

Avoid open flames, excessive heat, sparks, ignition sources, and incompatible substances.

· 10.5 Incompatible materials:

Strong oxidizing agents
Strong acids
Strong bases
Ammonia
Fluorine
Chlorine

· 10.6 Hazardous decomposition products:

No dangerous decomposition products known.
Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

7440-22-4 Silver (Powder)

Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	≥5.16 mg/L / ≥4 h (rat)

· Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 7)

Trade name: 8463A

(Contd. of page 6)

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Summary of Effects and Symptoms by Routes of Exposure**
 - **Eyes:**
may cause mild irritation
redness
 - **Skin:** none known or expected
 - **Inhalation:** none known or expected
 - **Swallowed:** none known or expected
- **Additional toxicological information:**
 - **Delayed and immediate effects as well as chronic effects from short and long-term exposure**
Exposure to silver powder may also cause argyria, an irreversible blue-grey discoloration of the skin.

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

Very toxic to aquatic life with long lasting effect.
Avoid release to the environment.
Collect spillage.

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Also poisonous for fish and plankton in water bodies.
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

- **Recommendation** This material and its container must be disposed of as hazardous waste.

(Contd. on page 8)

Safety data sheet
according to UK REACH

Printing date 25.11.2024

Version number 2.01 (replaces version 2.00)

Revision: 25.11.2024

Trade name: 8463A

(Contd. of page 7)



· European waste catalogue	
HP14	Ecotoxic

· **Uncleaned packaging:**

· **Recommendation:**

Containers may still present a chemical hazard/ danger when empty.
Dispose of contents in accordance with all local, regional, national, and international regulations.
Where possible retain label warnings and SDS and observe all notices pertaining to the product.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3077
· 14.2 UN proper shipping name · ADR · IMDG · IATA	NOT REGULATED by road ADR Special Provision 375 for sizes 5 kg or less. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Silver (Powder)) NOT REGULATED for sea freight IMDG according to 2.10.2.7 for sizes up to 5 kg. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Silver (Powder)) NOT REGULATED by Air IATA Special Provision A197 for sizes 5kg or less. Environmentally hazardous substance, solid, n.o.s. (Silver (Powder))
· 14.3 Transport hazard class(es) · ADR, IMDG  · Class · Label	9 Miscellaneous dangerous substances and articles. 9
· IATA  · Class · Label	9 Miscellaneous dangerous substances and articles. 9
· 14.4 Packing group · ADR, IMDG, IATA	III

(Contd. on page 9)

Safety data sheet

according to UK REACH

Trade name: 8463A

(Contd. of page 8)

<ul style="list-style-type: none"> · 14.5 Environmental hazards: · Marine pollutant: MARINE POLLUTANT · Special marking (ADR): ENVIRONMENTALLY HAZARDOUS · Special marking (IATA): ENVIRONMENTALLY HAZARDOUS Symbol (fish and tree) 	
<ul style="list-style-type: none"> · 14.6 Special precautions for user Not applicable. · Hazard identification number (Kemler code): 90 · EMS Number: F-A,S-F · Stowage Category A · Stowage Code SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9. 	
<ul style="list-style-type: none"> · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. 	
<ul style="list-style-type: none"> · Transport/Additional information: 	
<ul style="list-style-type: none"> · ADR · Limited quantities (LQ) 5 kg · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g · Transport category 3 · Tunnel restriction code (-) 	
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) 5 kg · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g 	
<ul style="list-style-type: none"> · UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (SILVER (POWDER)), 9, III 	

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Poisons Act**

<ul style="list-style-type: none"> · Regulated explosives precursors (Part 1) <p>None of the ingredients is listed.</p>
<ul style="list-style-type: none"> · Regulated poisons (Part 2) <p>None of the ingredients is listed.</p>
<ul style="list-style-type: none"> · Reportable explosives precursors (Part 3) <p>None of the ingredients is listed.</p>

(Contd. on page 10)

Safety data sheet

according to UK REACH

Printing date 25.11.2024

Version number 2.01 (replaces version 2.00)

Revision: 25.11.2024

Trade name: 8463A

(Contd. of page 9)

<ul style="list-style-type: none"> · Reportable poisons (Part 4)
None of the ingredients is listed.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category E1** Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t

<ul style="list-style-type: none"> · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
None of the ingredients is listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

* SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

- H228 Flammable solid.
- H261 In contact with water releases flammable gases.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

<ul style="list-style-type: none"> · Classification according to Regulation (EC) No 1272/2008 	
Hazardous to the aquatic environment - short-term (acute) aquatic hazard Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

- **Department issuing SDS:** Regulatory department

- **Contact:** sds@mgchemicals.com

- **Date of previous version:** 28.09.2024

- **Version number of previous version:** 2.00

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 ATE: Acute toxicity estimate values
 Flam. Sol. 1: Flammable solids – Category 1
 Water-react. 2: Substances and mixtures which in contact with water emit flammable gases – Category 2
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

- *** Data compared to the previous version altered.**